REMARKS

Claims 1-3 and 9 stand rejected under 35 U.S.C. 103(a) as being obvious over Sugaya et al. (Japan Patent Document No. 4-162505) in view of Callister "Materials Science and Engineering An Introduction", 1985, pages 49-50. Applicants traverse the rejection because the cite references do not disclose or suggest, among other things, a magnetic thin film that has one or more kinds of elements M selected from the elemental group of Al, B, Ga, Si, Ge, Y, Ti, Zr, Hf, V, Nb, Ta, Cr, Mo, W and Rh, wherein the total content of the M elements is not less than 1 atomic% and not more than 10 atomic%.

In the Response to Arguments of the outstanding Office Action (Part of Paper No. 01152004), the Examiner asserts that Applicants' argument about Sugaya's element M being totally different from that of the present invention is not persuasive because Sugaya teaches element M is a Group 3A element from the Periodic Table. The Examiner further asserts that Group 3A of the Periodic Table includes the elements B and Al, which are encompassed by the instant claims. Applicants traverse this statement of the Examiner because the Examiner is using the CAS Group system of the Periodic Table to select elements, but Sugaya teaches Group 3A elements based on another Group system.

Sugaya teaches elements M as being one or more kinds of Group 3A elements based on the old IUPAC system. As discussed in Exhibits A and B, which are webpages of the environmentalchemistry.com website, three Group systems of the Periodic Table of elements exist. Namely, a new IUPAC Group system, an old IUPAC Group system, and a CAS system. The marked-up copy of exhibit C of the Periodic

Table identifies the Group name for each of the Group systems. Under the old IUPAC system, B and Al elements are Group IIIB elements. Accordingly, the elements M disclosed by Sugaya, which are the Group IIIA of the old IUPAC system, are different from the elements M disclosed by the elements recited in the claims of the present invention. That is, elements M disclosed in Table 1 of Sugaya, such as Y, Sc, and La are different than the present invention. For these reasons, withdrawal of the §103 rejection is respectfully requested.

Claims 4-6 and 10 stand rejected under 35 U.S.C. 103(a) as being obvious over Sugaya in view of Callister, and further in view of Westwood (U.S. Patent No. 6,224,719). The arguments recited above with respect to the rejection of claims 1-3 and 9 are reasserted herein. More specifically, Westwood is merely cited by the Examiner as teaching the claimed magnetic head structure. Since Westwood also fails to overcome the deficiencies of the cited references, withdrawal of the §103 rejection is respectfully requested.

For all of the foregoing reasons, Applicants submit that this Application is in condition for allowance, which is respectfully requested. The Examiner is invited to contact the undersigned attorney if an interview would expedite prosecution.

Respectfully submitted,

GREER, BURNS & CRAIN, LTD.

By Joseph P. Fox
Joseph P. Fox

July 20, 2004

300 South Wacker Drive - Suite 2500

Chicago, Illinois 60606 Telephone: 312.360.0080

Facsimile: 312.360.9315 Customer No. 24978

Exhibit A



nvironmentalChemistry.

Environmental, Chemistry & Hazardous Materials Information & Resources

Periodic Table of Elements

properties.

This periodic table of elements provides comprehensive data on the chemical elements including scores of properties, element names in many languages and most known nuclides (Isotopes).

Below the table there is a "Chemical Elements Sorted By" section with links that will sort chemical elements by various

What's New

[2004-06-08]: We've added a new article to our environmental section titled A Brief History of Asbestos Use and Associated Health Risks. This article is the first of a series of articles we will publish this summer relating to asbestos--stay tuned.

[2004-01-05]: Don't like banner ads? Well neither do we, but they are the most effective method for us to generate the revenues necessary to operate this site while making our content available free of charge. Now, however, we have an option that will reward those who directly support our efforts with the ability to access this site banner ad free. SUBSCRIBE TODAY

[2003-09-10] Many elements now include a page of common chemicals and chemical formulas that contain the given element. These chemical compounds in turn are linked to a page that contains more information on the chemical compound. As the underlying chemical database is a work in process, some chemicals will have very detailed information while others will have only basic information.

Please bookmark us and tell your friends.

Please bookmark or link to this periodic table of elements as you will want to be back! If we this site was useful to you, please tell your friends, teachers and/or coworkers about our website.

Celebrating eight years on the web. Starteds 10: 22: 1995 **User Login** Email:

Password:

Submit

Remember login Forgot password?

SUPPORT US and get banner ad free access. SUBSCRIBE TODAY!

Search

O Web THIS SITE

Educators

This website is a great teaching resource!! Please check out our notes about using this site in the classroom.

Ads by Go

Oxygen Wholesa Oxygen I you toda: Detoxify www.alphav

Hydroxy \$21.95 Compare Oxygen I Fast inex www.myhea

Oxygen Water Ox Supplem Wide Dis www.Syner

<u>Oxygen</u> Find, cor Headphc Savings www.Shopp

Global H Threllac · & all GH Wholesa Guarante HealthandL

Periodic Table of Elements Groups 6 7 9 10 11 12 13 14 15 16 17 18 2 4 1 IVA VIA **IVB** VIB VIIB VIII IΑ IIA IIIA VA VIIA VIIIA ΙB IIB IIIB VΒ IΑ IIA IIIB IVB VΒ VIB VIIB VIII ΙB IIB IIIA **IVA** VA VIA **VIIA** VIIIA 2 1 <u>He</u> Н 3 5 9 10 4 <u>6</u> 2 <u>C</u> N 0 F В Ne Li Be 15 17 11 12 13 14 16 18 3 Si Ρ <u>S</u> CI <u>Na</u> Mg Al Ar 34 35 19 20 21 <u>22</u> <u>23</u> 24 <u>25</u> 26 27 28 29 <u>30</u> 31 32 33 36 K Ca Sc Ti V <u>Cr</u> <u>Mn</u> <u>Fe</u> <u>Co</u> <u>Ni</u> Cu Zn <u>Ga</u> <u>Ge</u> <u> As</u> <u>Se</u> Br Kr 45 48 49 <u>50</u> 51 | 52 39 40 41 42 43 44 46 <u>47</u> 38

	Rb	<u>Sr</u>	Y		Zr	Nb	Mo	Tc	Ru	<u>Rh</u>	<u>Pd</u>	Ag	<u>Cd</u>	<u>In</u>	<u>Sn</u>	Sb	<u>Te</u>	<u>I</u>	Хe
6	<u>55</u> Cs	<u>56</u> Ba	<u>57</u> La	1	72 Hf	73 Ta	74 W	75 Re	76 Os	77 <u>Ir</u>	78 Pt	79 Au	80 Hg	81 TI	82 Pb	83 Bi	84 Po	85 At	86 Rn
7	87 Fr	88 Ra	89 Ac	2	104 Rf	105 Db	106 Sg	107 Bh	108 Hs		110 Uun	111 U uu			114 Uuq		116 Uuh		118 Uuo
6				1	<u>58</u> Ce	59 Pr	60 Nd	61 Pm	<u>62</u> Sm	63 Eu	64 Gd	65 Tb	66 Dy	67 Ho	68 Er	69 Tm	70 Yb	71 Lu	
7				2	90 Th	91 Pa	<u>92</u> U	93 Np	<u>94</u> Pu	95 Am	96 Cm	97 Bk	98 Cf	99 Es	100 Fm	101 Md	102 No	103 <u>Lr</u>	
K	ey			_						•									
	•	al S			etc.	mne	ratu	re an	d nre	occur	Δ								
		ases			nai k	inpe	.i acai	C an	u pre		-	Solid							
X	x L	iquid	İs								Xx s	Synth	netic	ally	prep	ared	elen	nent	s
G	roup	S									•								
Ne	ew Il	JPAC	syst	er	n .										*******				
OI	d IU	PAC :	syste	em	ı (pri	marly	y in E	urop	e)										
C/	<u>15</u> s)	/sten	ı (pr	im	arly	in No	orth A	mer	ica)										
Se	eries	;																	

Metals

Metalloids

Chemical Elements Sorted By:

Inner-Transition

Lanthanides

Actinides

Metals

Transition

Metals

<u>Transactinides</u>

- Atomic Radius
- Boiling Point

Alkali

Earth

Metals

Alkali

Metals

- Covanlent Radius
- Cross Section
- Crystal Structure
- Density
- Electrical Conductivity
- Electronegativity (Pauling)
- **Heat of Vaporization**
- **Ionic Radius**
- **Ionization Potential**
- Mass Average
- Melting Point (Freezing Point)
- Name (English)
- <u>Series</u>
- Symbol
- Thermal Conductivity
- Year of Discovery



Halogens

Environmental Articles

Asbestos

Nonmetals

Nonmetals

- Part 1: History of <u>Asbestos</u>
- Part 2: Chemical & Physical Properties of <u>Asbestos</u>

Chernobyl Nuclear Disaster

- Part 1: Chernobyl Revisited
- Part 2: Agricultural and Environmental **Impact**
- Part 3: Chernobyl, a



Noble

<u>Gasses</u>

Chemistry Articles

Atom Anatomy

Answers many questions regarding atoms, including: atomic number, atomic mass (atomic weight), nuclides (isotopes), atomic charge (Ions), and energy levels (electron shells).

Chemistry & Environmental Dictionary

Defines most of the technical terms and acronyms used on this site as well as many others.

The Chemistry of Polychlorinated Biphenyls

PCB, the Manmade Chemicals That Won't Go Away

Molar Mass Calculations and Javascript Calculator

Explains how to calculate molar mass and has a Javascript molar mass calculator, which can be used to verify molar mass calculations.

Molarity, Molality and Normality

Introduces stoichiometry and explains the differences between molarity, molality and normality.

Related readings and resources

NOTE: Book title links open a popup window to Amazon.com

Periodic Table of Elements Bibliography

Reference resources used to compile and verify data used to generate these pages.

The Periodic Kingdom: A Journey into the Land of the Chemical Elements

by P. W. Atkins, HarperCollins May 1997

Mendeleyev's Dream: The Quest For the Elements

by Paul Strathern, St Martins Pr (Trade) April 2001

March's Advanced Organic Chemistry: Reactions, Mechanisms, and Structure, 5th Edition

by Michael Smith, Jerry March, John Wiley & Sons January 2001

The Periodic Table,

by Primo Levi, et al., Random House. 1996

Power of the Periodic Table,

by Roy Timmreck, Royal Palm Pub. 1991

Turning Point

Environmental Justice and the NIMBY Principle

From Bhopal to Hazardous Waste Compliance

Guide for Handling Household Hazardous Waste and Chemicals

Love Canal NY: Grownups Don't Do Blue Goo

<u>Protecting Wildlife from Trash</u>

<u>Treatment of</u>
<u>Biohazardous Medical</u>
Waste

The History of Human Waste

site sponsor



Hazardous Materials Transportation

HM-200 Provides Relief for Materials of the Trade

HM-206 Alters Requirements

<u>Is This Material an Explosive Hazard?</u>

USDOT HazMat
Transportation Placards
Select Class/Division

□

USDOT HazMat

Physical Chemistry and the Periodic Table CD ROM Package,

by Robert G. Mortimer, Addison Wesley Publishing Co. 1998

CRC Handbook of Laboratory Safety, 5th edition,

by A. Keith Furr, CRC Press April 2000

Placarding Quiz



Providing a Link

If you would like to link to this periodic table of elements, please use the following link code.

 EnvironmentalChemistry.com: Periodic Table of Elements

If you would like to include a description along with the link, please consider using the following:

This periodic table of elements provides comprehensive data on the chemical elements including scores of properties, element names in many languages and most known nuclides.

We greatly appreciate every link provided to our periodic table of elements.

Notice

Please note: We do not buy or sell chemicals. This might seem like a strange comment but we get asked this question constantly.

Disclaimer

These pages are for general reference and educational purposes only and should NOT be used to determine regulatory compliance or relied upon as a sole source of information where matters of life and health are concerned. This site and the author do not warrant or guarantee the accuracy or the sufficiency of the information provided and do not assume any responsibility for its use.

To ensure regulatory compliance when transporting hazardous materials or dangerous goods, one should receive proper training and certification from a qualified instructor and refer to a copy of the current year's Code of Federal Regulations Title 49 (49CFR). When shipping hazardous cargo by air, one should refer to IATA regulations. In matters regarding workplace safety, one should refer to current OSHA regulations (29CFR) and NIOSH guidelines.

Privacy Statement | Terms of Service | About this site | Site Directory | Contact Us

Copyright 1995 - 2004 Kenneth L Barbalace (KLBProductions.com - website & database design)

About KLBProductions.com

Exhibit B



Ore You an Ortist? Get our FREE Art Test Click Here

EnvironmentalChemistry.com

Environmental, Chemistry & Hazardous Materials Information & Resources

Chemistry & Environmental Dictionary

Gamma Ray - Group

Gamma Ray: extremely short wavelength and intensely highenergy electromagnetic radiation. Gamma rays originate from an atom's nucleus and normally accompany alpha and beta particles as part of the emissions of the radioactive decay of an atom and always accompany nuclear fission. Because gamma rays are energy and not matter, they are very penetrating and can cause damage to animal and plant tissues. Gamma rays are absorbed by extremely dense materials like lead (Pb) and depleted uranium (U).

Gas: a substance of very low density that has no definite shape or volume.

Group; the vertical columns (major classes or divisions) into which elements are arranged in the periodic table of elements. There are three common numbering systems for these groups:

The new <u>IUPAC</u> system, which numbers each column with Arabic numbers from 1 (one) through 18 (eighteen). To reduce confusion caused by the other two systems, this is the system that is used in articles on this web site.

The old IUPAC system, which labeled columns with Roman numerals followed by either the letter 'A' or 'B'. Columns were numbed such that columns one through seven were numbered 'IA' through 'VIIA', columns 8 through 10 were labeled 'VIIIA', columns 11 through 17 were numbered 'IB' through 'VIIB' and column 18 was numbered 'VIII'.

The CAS system, which also used Roman numerals followed by an 'A' or 'B'. This method, however, labeled columns 1 and 2 as 'IA' and 'IIA', columns 3 through 7 as 'IIIB' through 'VIB', column 8 through 10 as 'VIII', columns 11 and 12 as 'IB' and 'IIB' and columns 13 through 18 as 'IIIA' through 'VIIIA'.



Search O Web THIS SITE

Chemistry Resources

Anatomy of the Atom

Chemistry Dictionary

The Chemistry of Polychlorinated Biphenyls

Molar Calculations and Javascript Calculator

Stoichiometry: Molarity, Molality and Normality

Periodic Table of Elements Sort elements by: select order

advertisement

Ads by Go

Science Noveltie Variety o for the sc minded. physlink.co

Radiatio Gamma, Wool Bar Shields AEC-iSuppl

WMD De equipme Radiation Agent mo SAFER-I 996-8888 www.usasc

Because of the confusion the old IUPAC and the CAS system created, the IUPAC adopted their new system.

Elements are arranged in these groups according to whose proprieties are similar. All elements in Group 1 for instance are alkali metals. They have only one electron in the outer shell (valence electron) and as a result are highly reactive. Elements in Group 17 are the halogens. They all have seven electrons in the outer orbital (two in level s and five in level p). They are also very reactive because they have seven electrons in the outer shell and will readily accept an electron in order to reach the ion configuration with the ideal number of eight electrons in the outer shell. Elements Group 18 have a complete outer shell with eight electrons. These noble gases are highly stable and do not react to form compounds under normal conditions.

> Fahrenheit - Freezing Point | Dictionary Index | Half-life - Homogeneous



Environmental Articles

Asbestos

- Part 1: History of <u>Asbestos</u> . .
- Part 2: Chemical & Physical Properties of **Asbestos**

Chernobyl Nuclear Disaster

- Part 1: Chernobyl Revisited
- Part 2: Agricultural and Environmental **Impact**
- Part 3: Chernobyl, a Turning Point

Environmental Justice and the NIMBY Principle

From Bhopal to Hazardous Waste Compliance

Guide for Handling Household Hazardous Waste and Chemicals

Love Canal NY: Grownups Don't Do Blue

Protecting Wildlife from <u>Trash</u>

Treatment of Biohazardous Medical <u>Waste</u>

The History of Human Waste

site sponsor



Online **Dictionary**



Eterm is to mak Term Life purchas and easy so you c her t


\$10 Month 10 Year N Term Life

Issue Age 30 \$7.0 40 \$8.4 \$16

FREE

60 \$33

All rates are by the insura Copyright @ Insurance S All rights res



Privacy Statement | Terms of Service | About this site | Site Directory | Contact Us

Copyright 1995 - 2004 <u>Kenneth L Barbalace (KLBProductions.com - website & database design)</u>
<u>About KLBProductions.com</u>

Exhibit C

<u>CAS</u> system (primarly in North America)

		开场 搬 独立				8. 5.6.X				<u>ilav</u> i	<u>சம</u>	<u> Bem</u>	<u>ents</u>						4.4
										Gr	ത്തു	3							New SY
	1	2	3		4	5	6	7	8_	9	10	11	12	13	14	15	16	17	192
21-	Α	IIA	IIIA		IVA.	VA	VIA	VIIA	1 *60 3 8 12 2 3 3 3 3	VIIIA		IB	IIB	IIIB	IVB	VB	VIB -	VIIB	
-	Α	MA	IIIB	L	IVB	VB.	WIB	VIIIB		VIIII		IB	MB	IIIA	IVA	WA	WIA	VIIIA	MIMA <
<u> </u>	1 H																		2 He CAS
	3 Li	<u>4</u> <u>Be</u>												<u>5</u> B	<u>6</u> <u>C</u>	<u>7</u> N	<u>8</u> O	<u>9</u> <u>F</u>	10 Ne
. –	<u>1</u>	<u>12</u> Mg												<u>13</u> Al	<u>14</u> Si	15 P	<u>16</u> S	<u>17</u> CI	<u>18</u> Ar
	9 K	20 Ca	21 Sc		22 Ti	23 V	24 Cr	25 Mn	<u>26</u> Fe	27 Co	28 Ni	29 Cu	30 Zn	31 Ga	32 Ge	33 As	34 Se	35 Br	36 Kr
3	7 lb	38 Sr	39 Y	Market Control	40 Zr	41 Nb	42 Mo	43 Tc	44 Ru	45 Rh	46 Pd	47 Ag	48 Cd	49 In	<u>50</u> Sn	51 Sb	<u>52</u> Te	53 I	54 Xe
5	5 <u>5</u>	56 Ba	. <u>57</u> La		72 Hf	73 Ta	74 W	75 Re	<u>76</u> Os	77 Ir	78 Pt	79 Au	80 Hg	81 TI	82 Pb	83 Bi	84 Po	85 At	86 Rn
8	37 r	88 Ra	89 Ac	_	10.00a 10.7m	105 Db	106 Sq	107 Bh	108 Hs	109 Mt	110	111 Uuu	112		114 Uuq		116 Uuh		118 Uuo
				10							Verigin.	- 景	101 1454					34	
				1	<u>58</u> Ce	<u>59</u> Pr	<u>60</u> Nd	61 Pm	<u>62</u> Sm	<u>63</u> Eu	<u>64</u> Gd	<u>65</u> 11b	<u>66</u> D v	<u>67</u> Ho	<u>68</u> Er	<u>69</u> Tim	7 <u>0</u> Yb	<u>Z1</u> Lu	
					90 Th	91 Pa	92 U	93 Np	94 Pu	95 Am	96 Cm	97 Bk	98 Cf	99 Es	100 Fm	101 Md	102 No	103 Lr	
(e	7			j															235 Land
SQK SQK	ysi		Stat at no				ilano	ລ ອກທ	നദി മ	reee	ທາລຸ				*			۰	
		EGE		U					۾ حم			Solid	S			4			
	Service Control	gelle		ž+ ;				£ 42	n,			Symil		नशीरेप्ट ।	องก่องก	าเลองส์	iellemi	YSAN():	3/
	ושכ							*	`as s	•	, coco			~~~\ ~~~\ !	20 Z Z				
			syst	ρr	m					, A.			•				adam "ay da ay ay a		
			syste			imar	ivitis	Filter	ine)	111	de Car		1. 46. 12.				(A) (A)	1000	8.23